



4600 Lake Boone Trail Suite 100 27607 Tel 919.787.1374 Fax 919.571.8135 raleighcapitolent.com

IN-OFFICE BALLOON DILATION EUSTACHIAN TUBE INSTRUCTIONS:

Before the day of the procedure, you will need to pick-up several medications.

- Afrin (oxymetazoline): over-the-counter nasal decongestant spray
- Valium (diazepam): will be sent to your normal pharmacy
- Hydrocodone-acetaminophen: will be sent to your normal pharmacy
- Tetracaine/lidocaine cream: compounding pharmacy will ship it to our office directly

The morning of the procedure, you may eat a light breakfast and drink normally. To help with relaxation and comfort during the procedure, you will need to take several medications **prior to your arrival.** These medications impair your ability to drive, so you will need someone to drive you to and from the appointment.

- 90 minutes prior to appointment:
 - Use Afrin (3 sprays on each side of nose).
 - Take one tablet of Valium.
- 30 minutes prior to appointment:
 - Use Afrin again (3 sprays on each side of nose).
 - o Take one tablet of hydrocodone-acetaminophen.
- Once you check-in and meet with your doctor, you may take a second Valium if needed for anxiety.

During the procedure, we will spend 30-45 minutes getting your nose numb with a combination of topical medications via sprays and cotton pledgets, and with injected numbing medications. You will feel pressure during the procedure, but you should not feel pain.

After the procedure:

- Use Tylenol or ibuprofen as needed for pain control. You can use the remaining hydrocodoneacetaminophen tablets if you need something stronger, but do not take one of these at the same time as Tylenol because the pain medication contains Tylenol as well.
- Use Afrin spray as needed if you develop a nose bleed.
- Avoid blowing your nose for one week. If you need to sneeze, try to do so with your mouth open.
- One week after the procedure, begin performing Modified Valsalva once an hour while awake.
 - Occlude nostrils. Begin to gently blow the nose. If unable to pop ears, perform a strong swallow while gently blowing.
- Do not expect an immediate change in your symptoms. It takes up to 3 months for the dilation to fully remodel your Eustachian tubes.